

**Reynolds Tavern:
1982 Feature Book**

Number	Description	Square	Unit	Comments
1	Probable Utility Trench Line, Depth 3 in.	A	198	
2	Probable Structure Line, Depth 3 in.	B	147	
3	Semicurved Brick Line Depth 6 in.	D	77	
4	Cobblestones, Depth 6 in.	A	198	
5	Cobblestones, Depth 6 in.	D	77	
6	Concrete Slab, Depth 6 in.	D	77	
7	Brick Foundation, Depth 6 in.	D	77	
8	Oyster Shell Layer, Depth 14-16 in.	C	50	
9	Brick and oyster Shell Layer, Depth 7 in.	E	177	
10	Dark Brown Stain, Depth 23 in.	G	87	
11	Post Mold	B	147	
12	Post Mold	B	147	
13	Post Mold	B	147	
14	Post Mold	B	147	
15	Post Mold	B	147	
16	Post Mold	B	147	
17	Post Mold	B	147	
18	Post Mold	B	147	
19	Post Mold	B	147	
20	Post Mold	B	147	
21	Post Mold	B	147	
22	Post Mold	B	147	
23	Post Mold	B	147	
24	Post Mold	B	147	
25	Post Mold	B	147	
26	Post Mold	B	147	
27	Beige Squares, Depth 4 in.	E	177	
28	Beige Squares, Depth 4 in.	E	177	
29	Beige Squares, Depth 4 in.	E	177	
30	Beige Squares, Depth 4 in.	E	177	

31	Beige Squares, Depth 4 in.	E	177	
32	Beige Squares, Depth 4 in.	E	177	
33	Post Mold Depth 4 in.	E	177	
34	Post Mold Depth 4 in.	E	177	
35	Post Mold Depth 4 in.	E	177	
36	Post Mold Depth 4 in.	E	177	
37	Post Mold Depth 4 in.	E	177	
38	Post Mold Depth 4 in.	E	177	
39	Post Mold Depth 4 in.	E	177	
40	Post Mold Depth 4 in.	E	177	
41	Post Mold Depth 4 in.	E	177	
42	Post Mold Depth 4 in.	E	177	
43	Whitish Rubble, Depth 7 in.	B	147	
44	Builders Trench of the Smokehouse, Depth 4 in.	H	176	
45	Post Mold, Depth 4 in.	Q	145	
46	Post Mold, Depth 4 in.	Q	145	
47	Post Mold, Depth 4 in.	Q	145	
48	Post Mold, Depth 4 in.	Q	145	
49	Post Mold, Depth 4 in.	Q	145	
50	Post Mold, Depth 4 in.	Q	145	
51	Post Mold, Depth 4 in.	Q	145	
52	Post Mold, Depth 4 in.	Q	145	
53	Post Mold, Depth 4 in.	Q	145	
54	Post Mold, Depth 4 in.	Q	145	
55	Post Mold, Depth 4 in.	Q	145	
56	Post Mold Depth 4 in.	Q	145	
57	Post Mold, Depth 4 1/4 in.	R	107	

58	Post Mold, Depth 4 1/4 in.	R	107	
59	Post Mold, Depth 4 1/4 in.	R	107	
60	Post Mold, Depth 11-12 in.	P	161	
61	Post Mold, Depth 11-12 in.	P	161	
62	Post Mold, Depth 11-12 in.	P	161	
63	Post Mold, Depth 11-12 in.	P	161	
64	Post Mold, Depth 11-12 in.	P	161	
65	Post Mold, Depth 11-12 in.	P	161	
66	Post Mold, Depth 6.5-7 in.	R	107	
66	Post Mold, Depth 6.5-7 in.	R	107	
67	Post Mold, Depth 6.5-7 in.	R	107	
68	Post Mold, Depth 13 in.	P	161	
69	Ash Rubble Layer, Depth 8 in.	S	191	
70	Post Mold, Light Tan with Mica, Depth 9 3/4 in.	R	107	
71	Post Mold, Light Tan with Mica (Depth not given)	K	216	
72	Post Mold, Light Tan with Mica, Depth 5 1/4 in.	H	176	
73	Post Mold, Depth 5 in.	U	194	
74	Post Mold, Depth 5 in.	U	194	
75	Post Mold, Depth 5 in.	U	194	
76	Post Mold, Depth 5 in.	U	194	
77	Post Mold, Depth 5 in.	U	194	
78	Post Mold, Depth 5 in.	U	194	
79	Post Mold, Depth 5 in.	U	194	
80	Post Mold, Depth 5 in.	U	194	
81	Post Mold, Depth 5 in.	U	194	
82	Post Mold, Depth 5 in.	U	194	

83	Post Mold, Depth 5 in.	U	194	
84	Post Mold, Depth 5 in.	U	194	
85	Builders trench for smokehouse renovation, Depth 5 in.	T	193	
86	Post Mold, Depth 9 in.	X	125	
87	Post Mold, Depth 4 in.	J	214	
88	Post Mold, Depth 4 in.	J	214	
89	Post Mold, Depth 12 1/4 in.	X	125	
90	Post Mold, Reddish Brown with coarse grain, Depth 16 in.	Q	145	
91	Post Mold, Reddish Brown with coarse grain, Depth 16 in.	Q	145	
92	Post Mold, Reddish Brown with coarse grain, Depth 16 in.	Q	145	
93	Post Mold, Black, Depth 17 in.	Q	145	
94	Post Mold, Reddish brown with coarse grain, Depth 16-16 1/2 in.	Q	145	
95	Post Mold, Reddish brown with coarse grain, Depth 16-16 1/2 in.	Q	145	
96	Post Mold, Depth 16 in.	P	161	
97	Post Mold, Depth 16 in.	P	161	
98	Post Mold, Depth 16 in.	P	161	
99	Post Mold, Depth 16 in.	P	161	
100	Post Mold, Depth 16 in.	P	161	
101	Brick Wall, Depth 11 1/2 in.	PP	207	
102	Interface from F. 101 Depth 11 1/2 in.	PP	207	F.101
103	Trash pit behind Smokehouse Depth, 17 in.	TT + AA	204 + 206	
104	Interface from F. 103	(not given)	(not given)	F.103
105	Mortar & Brick rubble	G + R + CC + UU + XX	87 + 107 + 89 + 126 + 106 + 125	

		+ X + ZZ + YY	+ 143 + 160	
106	Privy underneath parking lot of bank	(not given)	(not given)	
107	Trash Layer, Depth 14-16 in.	A	198	
108	Interface from F. 107	(not given)	(not given)	F.107
109	Post Mold, Depth 14 in.	YY	160	
110	Interface from F.109	(not given)	(not given)	
111	Oyster Shell Layer	N	76	
112	Cobblestones road	H + T + E + U + P + NN	176 + 193 + 177+ 194 + 161	
113	Yellow Sand Squares	H + T + E + U + P + NN	176 + 193 + 177 + 194	
114	Brick walk set in sand	X	125	
115	Electrical Utility Trench, (also in other units)	X	125	
116	Oyster Shell layer with medium brown soil. (Also in units R, CC & Q)	X	125	
117	Electrical Utility Trench (Also seen in unites R, Q, W & FF	G	87	
118	1st brick floor of the smokehouse	S	191	
119	Mortar fill beneath 1st brick floor	S	191	
120	Ash layer beneath brick floor no. 1	S	191	
121	2nd brick floor of smokehouse	S	191	
122	Ash Lyer beneath F. 69	S	191	
123	Mortar surface before 3rd floor	S	191	
124	3rd brick floor	S	191	
125	mortar surface beneath 3rd brick floor	S	191	
126	Concrete gutter at the northend of unit.	K	216	This is the base for the fence line separating the tavern yard from the band property
127	Gray soil associated with cement. Extension supporting fence line	K	216	
128	Mortar Layer in north profile	Q	145	
129	Utility trench - sewer	Z	157	Same as in unit 128 (X). Run east to west

130	Trash Deposit	AA + SS + TT	206 + 205 + 221 + 204 + 218	
131	Oyster shell layer. Medium to light brown fill with oyster shell & brick bits	Z	(not assigned)	(no number assigned to this unit because it was a 2.5in. X9 in. trench. It did not lie within our grid system)
132	Sand lense	B	147	.25-.5 DBS
133	Yellow brown sand lense	K	216	
134	Yelow brown sand lense	Q	145	
135	Medium brown sand to gold brown sand with some pebbles.	Z		
136	Yellow/brown sand lense		193	
137	Yellow sand lense	U	194	
138	Medium brown	U	194	
139	Oyster shell with medium brown soil	U	194	Possible trash deposit.

**Reynolds Tavern
1983-1984 Feature Book**

Number	Description	Square	Unit	Comments
200	The well	(not given)	182 (unit N30W15)	
201	Dark yellowish stain in F.200	(not given)	(not given)	F.200
202	Wooden water pipe from inside well	(not given)	(not given)	F.200
203	Brick and mortar rubble concentrated around the water pipe	(not given)	(not given)	F.200
204	Oyster shell layer in the trash pit	(not given)	(not given)	F.130
205	Charcoal layer in the trash pit	(not given)	(not given)	F.130

**Inside the Tavern:
Central Hall**

Number	Description	Square	Unit	Comments
206	One row of bricks at the base of the stairs	(not given)	255 (unit 3)	
207	A thin layer of ash around the base of the stairs	(not given)	255 (unit 3)	
208	Builders trench along the northern wall	(not given)	255 (unit 3)	
209	Post Mold in the eastern section of the unit	(not given)	256 (unit 4)	
210	Possible post mold	(not given)	257 (unit 5)	
211	Wooden stake	(not given)	258 (unit 6)	
212	Wooden Stake	(not given)	259 (unit 7)	
213	Wooden Stake	(not given)	259 (unit 7)	
214	Wooden beam	(not given)	259 (unit 7)	
215	Builders trench associated with wooden beam.	(not given)	259 (unit 7)	
216	A thin layer of ashy powder near bottom of level.	(not given)	259 (unit 7)	This is a burned level similar to that in unit 255
217	A piece of wood that runs along the doorway & another piece that is perpendicular to it	(not given)	260 (unit 8, north)	In front of stairway
218	Wooden stake at base of stairs.	(not given)	260 (unit 8, north)	
219	Wooden stake near	(not given)	260 (unit 8,	

	doorway		north	
220	Possible builders trench along the southwall	(not given)	260 (unit 8, north)	
221	burned level around the base of stairs.	(not given)	260 (unit 8, north)	Same level as units 255 & 259
222	Post hole	(not given)	260 (unit 8, north)	
223	Post mold	(not given)	260 (unit 8, north)	
224	Layer of mortar with some brick rubble.	(not given)	260 (unit 8, north)	This feature is the same as level C in the field forms
225	builders trench of the brick storage feature. No artifacts	(not given)	260 (unit 8, north)	

Bank Parking Lot

Number	Description	Square	Unit	Comments
226	utility trench for two plastic sewage pipes	N50W75	228-229	Southern portion of unit
227	Black Clayie soil located within F.226 No artifacts	N50W75	228	
228	Concentration of mortar brick. Yellowish-red soil.	N50W70	228-229	Also found in units to the east
229	Medium brown loosely packed sandy stain in NW corner of unit	N50W70	229	
230	Red-Yellow loosely packed soil with brick & charcoal frags.	N50W70	229	Rodent burrow.
231	Yellow sandy soil	N50W65	230-239	Construction related deposit.
232	Dark mottled brown soil with concentration of brick, oyster & mortar.	N50W65	230	Associated with the construction of the privy

Back Yard

Number	Description	Square	Unit	Comments
233	Brick paving and sand paving	N5W5	95	
234	Pipe trench	N5W5	95	
235	Sand paving for brick embedding	N5W10	94	
236	Pipe trench	N5W10	94	
237	Sheet refuse	S5W5 + NOW5	53 + 74	

238	Pipe trench	S5W5 + NOW5	53 + 74	
239	Gravel	S15W35	19	
240	Brick Rubble	S15W35	19	brick Edging for flowerbed
241	Brick Rubble	S15W35	19	
242	Builders trench for well	S15W385	165	
243	Void	(not given)	(not given)	

**Inside the Tavern:
South Hall**

Number	Description	Square	Unit	Comments
244	Brick wall extending from south wall of tavern.	(not given)	253 (unit 13)	
245	Fill underneath storage feature floor	(not given)	252 (unit 12)	
246	Void	(not given)	(not given)	
247	Storage Features	(not given)	241 + 243 + 244 + 245 + 246 (units 1 + 3 + 4 + 5 + 6)	F.247
248	Builders Trench	(not given)	242 + 248 + 249 + 250 (units 2 + 8 + 9 + 10)	
249	Light Yellowish-brown sand. No artifacts	(not given)	247 (unit 7)	
250	Charcoal layer	(not given)	247 (unit 7)	

Additional Yard Features

Number	Description	Square	Unit	Comments
251	Shallow trash pit	N25W15	165	
252	Very dark grayish brown soil with oyster shell and brick fragments	N50W75	228	High artifact concentration, may have been associated with Feature 130/130 (trash pit). Highly disturbed due to utility pipes.