# DesigningStoryRooms: InteractiveStorytellingSpacesforChildren

HoumanAlborzi,AllisonDruin,JaimeMontemayor,LisaSherman, GustavTaxén<sup>\*</sup>, JackBest<sup>1</sup>,JoeHammer<sup>1</sup>,AlexKruskal<sup>1</sup>,AbbyLal<sup>1</sup>,ThomasPlaisantSchwenn<sup>1</sup>, LaurenSumida<sup>1</sup>,RebeccaWagner<sup>1</sup>,JimHendler

Human-ComputerInteractionLab,Institutefor AdvancedComputerStudies UniversityofMaryland,CollegePark,MD 20742USA houman@cs.umd.edu

ABSTRACT

Limited access to space, costly props, and complicated authoring technologies are among the many reasons why childrencanrarelyenjoytheexperienceofauthoringro omsized interactive stories. Typically in these kinds of environments, children are restricted to being story participants, rather than story authors. Therefore, we have begun the development of "StoryRooms," room-sized immersive storytelling experiences for children. With t he use of low-tech and high-tech storytelling elements, children can author physical storytelling experiences t 0 sharewithotherchildren.Inthepaperthatfollows .wewill describe our design philosophy, design process with children, the current technology implementation and exampleStoryRooms.

## **KEYWORDS**

Augmented	Environments,	Storytelling,	Children,
Educational	Applications,	Participatory	Design,
CooperativeInquiry			

# INTRODUCTION

A child sits in a playroom. She tells a story to her aboutherfamily. Anotherchildsits at the dinnerta ble with his mom and dad. He retells them the stories he read i school that day. Another child runs to catch her frie Together they imagine they are flying an airplane to a awayplace (Researchernotes, September 1999).

Storytelling can be a powerful tool for communication, collaboration, and creativity [2, 10, 11, 15]. The tools of

<sup>1</sup> Juniormembersofthedesignteam, ages 7-12 years old.

HCILTechnicalReportNo.2000-02(February2000), http://www.cs.umd.edu/hcil

\*CentreforUserOrientedITDesign RoyalInstituteofTechnology Lindstedvägen5,SE-10044, Stockholm,Sweden gustavt@nada.kth.se

storytelling can also be a critical part of a child's world. From storybooks, totelevision and movies, to theme par ks and museums, to toys and computer games, all can offer storytelling opportunities that support the development of language, social and cognitives kills [11].

Recently, there has been an explosion of commercial software for children's storytelling: from "interacti ve books" (e.g., LivingBooks), to more open-ended computer games (e.g., SimCity), to flexible authoring tools (e.g., StoryMaker). Today there is a wide range of interaction options, depending on whether children want to listen to stories, interact with them, or tell a story of their own. While these software experiences can offer creative learning possibilities, we believe they lack an important element in a child's world-the physical environment. А critical part of a child's early cognitive developmenti s in negotiatingthephysicalworld[19].

Webelievethereisnolongeraneedtorestrictourchi ldren todesktops with plastic boxes. The importance of famili ar objects such as stuffed animals or blocks cannot be minimized. A number of researchers over the past few decades have combined the power of computation with the familiarity of a child's world. One such group can be found at MIT, led for years by Professor Seymour Papert. Since the 1970s, this group of researchers has been exploring concrete ways for children to use what they intuitivelyunderstandaboutthephysicalworld. They ha ve combined the children's programming language of Logo with mechanical turtles, LEGO gears, motors, and programmablebricks.Inmorerecentyears,theirwork has been commercialized in the popular Mindstorms Robotic Invention System [14]. Other researchers have concentratedonroboticstuffedanimalsthatenablechild ren to listen to stories or tell their own. Such researc h initiativesincludetheMITMediaLab'sSAGE[18]andthe University of Maryland's PETS [6]. Commercial products have also become commonplace from Microsoft's ActimatesBarney[17]toTigerElectronics'Furby[13].

While we believe computer augmented objects are an important step toward embedding the power of technology in the physical world, we believe they can be limiting. Imagineaskingchildren totell their many stories with only one toy. Instead, we should be enabling children to tell their stories with any plaything they want, in any part of their playroom they choose. To this end, we are pursuing research in "StoryRooms," room-sized interactive storytelling spaces for children.

Physical interactive spaces have a longrich history. Since the 1960s and the establishment of such science and technology museums as the Exploratorium in San Francisco, CA, childrenhavebeen able to explore comple х concepts with physically interactive experiences [16]. Today there are hundreds of these kinds of museums all over the world. Children can explore anything from the historyandrestorationof18 <sup>th</sup>Centuryarmybarracks,tothe family immigration experiences of Ellis Island, New Yor k [8]. Children can interact with information that is reacti ve totheirtouch, movement, or voice. They can play the role of an explorer, scientist, or artist as they manipulate images, sound, physical objects and more. In addition to museums, theme parks have also displayed a sophisticated use of physical interactive spaces. The Walt Disney Company, a pioneer in these efforts, now competes in recent years with such companies as Warner Brothers, UniversalStudios,SixFlagsandmore.

University researchers have also pursued activities in this area. While physical interactive spaces have generally been developed for adult audiences, it has become more common to find research in this area for children as users (e.g., NYU's Immersive Environments [7], MIT's Kid's Room [1]). We have found that these environments can offerchildren:

- (1) atrulyactivemulti-sensorylearningexperience;
- (2) a social opportunity for learning among many colocatedchildren;
- (3) an intrinsically motivating experience (otherwise knownasfun).

However, the drawbacks of such environments can also include:

- limited access to designated presentation space (e.g., not generally found in schools but in museums or publicspaces);
- (2) costlypropstodevelop—outofthefinancialrangeof typicalschools;
- (3) complicated technology to program or author the experience;
- (4) not easily modifiable technologies for entirely different content;
- (5) difficultiesforchildrentobestoryauthors, rather than storyparticipants.

Therefore, our research indeveloping Story Rooms sets out to address these complex issues. We have begun to focus on the development of "Story Kits" which consist of low tech and high-tech storytelling elements, offering a low cost yet easily accessible physical storytelling experi ence forchildren.Ouremphasishasbeenonsupportingchild ren as authors of StoryRooms, rather than participants. We havefoundthatmoststorytellingenvironmentsofthis type are the result of adults' imaginations, not children' S. Children are generally only able to choose between a f ew pre-created choices in a room-sized experience. It is a sif we are only allowing children to read books, but never t 0 write their own. Therefore, the StoryRooms environm ent supportschildrenasstorytellersfromtheverystart oftheir experience.

In the paper that follows, we will further describe the design of StoryRooms, and the current technology implementation.Beforewedoso,letusfirsttakeyou toan exampleStoryRoombuiltinattheUniversityofMarylan d.

## ANEXAMPLESTORYROOM

Youareenteringthe *IslandofSneetches*, aplacefromaDr. Seussstory.Uponenteringtheroom,youaregivenasma Il boxtoweararoundyourbelly.Withthisbox,youarenow an inhabitant of the island, a *Sneetch*. You are either a Sneetchwithastaronyourbelly,oraSneetchwithout one. Asithappens,younoticethatabrightgreenstarappears on yourbelly,however,othersarenotsolucky. Youcom eto find out that the star-bellied Sneetches only like to play withotherstar-belliedSneetches.



Figure1.TheSneetchesroomanditsprops. (a)star-onmachine(b)star-offmachine (c)toybox

You now walk towards a mysterious cardboard toybox in themiddleoftheroom.Itreactstoyouwithblinking lights andnoises. However, younotice the toybox only works for those Sneetches with stars on their bellies. The st arless Sneetchesaresad. YounowhearthatapersonnamedMr. McBeanhadcometotheislandwithaspecialmachine. I t helps Sneetches without stars become star-bellied Sneetches. A spotlight goes on over the cardboard machine. It has a tunnel with flashing lights and sound. Starless Sneetches crawl through the machine, and to the ir surprise, they have stars on their bellies. Now ever yone canplaywiththetoybox.

But that does not seem fair to those Sneetches who originallyhadstars.ButyouaretoldthatMr.McBeanha S another machine that removes stars from star-bellied sneetches. By crawling through this other machine, the stars can disappear. So you crawl through that cardboard machine. Now, you are able to add or remove stars from you belly by using these two machines. Each time you use one of them, you hear the noise of a cash register. Yo u notice that projected on the wall, Mr. McBean is maki ng money, while the Sneetches' are losing money, paying fo r eachtripthroughastarmachine. Afterawhile, all ofyour moneyisgone, and you can't go through the starmachines anymore. Someof the Sneetches are left with staro ntheir bellies, and some of the mare left with stars off. Whatyou come to find out is that all of Sneetches can play with the toyboxifyoudecidetobefriends.

What you have just been a part of is our first StoryRoo m. builtattheUniversitvofMarylandinthesummerof1999. This StoryRoom was designed and built by an "intergenerational design team" of adults and children (ages 7-11 years old). By using cardboard boxes, computers, overhead projectors, and speakers, we created а room-sized interactive version of Dr. Seuss's story The Sneetches [9]. From this experience, we learned that we needed easier, more flexible authoring tools to design o ur StoryRooms. In the sections that follow, we will dis cuss ourdesignchallenges, philosophy, and process.

## THEDESIGNCHALLENGES

Designing StoryRooms has challenged our team in two areas. The first has been in the very nature of the technologyitself.Designing"beyondthedesktop"ismuch moredifficultthandesigning acomputer screen or a single object. Sketching on paper or with low-tech models, does not completely capture the notion of "location" and "time". We have found in brainstorming these kinds of environments, that an understanding of where the user is in time and space is critical. To come to a common understanding, we have used a combination of methodologies: scenario walk-thrus, low-tech prototyping, and alotof stickynotes.

ThesecondchallengeindesigningStoryRoomshasbeenin our partnership with children. As we will soon discuss i n detail, we have chosen to include children (ages 7-11 year S of age) as our design partners. We work together twice a week, after school, during the school year, and two wee ks over the summer. While we have had many rewarding opportunities to work together as a team on other storytelling projects (e.g., storytelling robots [6], zooming softwareenvironments[3]), this has been our most diffic ult project to date. We believe this has been primarily due to the abstract nature of the technology we are designing. Most of our team participants (both child and adult) have had little experience in developing room-sized environments. We found that the children on the team looked to the adults for answers and direction. Howeve r. the adult sontheteam felt they knew as little as thechildren about what they wanted to build. Designing beyond the

desktop challenged our team and team processes as they had never been challenged before. In the sections that follow we will discuss how our team design methods have been adapted to support the development of Story Rooms.

# CHILDRENASDESIGNPARTNERS

At the University of Maryland, we believe children ca n contribute in significant ways to the design of new technologiesforchildren[3,4].Forthepasttwoan dahalf years we have been developing new technologies for children with children in an "intergenerational design team." This team consists of six elementary school children and at least six adults with expertise in educatio n, computer science, art, and robotics. Together we have adapted and changed the design process to support the inclusionofchildrenasfulldesignteampartners.We have cometocall this process "Cooperative Inquiry" [4]. Ov er the years, we have developed a design philosophy that includessixassumptions:

- (1) Noteammemberknows "more" than thenext, no matter what the age. Each has experiences and skills that are unique and important.
- (2) A new power-structure between children and adultsmust be found. This starts with the rule of "no hand-raising," something that needs to be unlearned from school.
- (3) "Idea elaboration" is the ultimate goal of the design process. All team members should build uponideasfrombothchildrenandadults.
- (4) A casual work environment and clothing can support the free-flow of ideas. This includes sittingonthefloor, wearing jeans and sneakers.
- (5) All design team members should be rewarded. Adultsarepaidandchildren are given yearly gifts (due to child labor laws in the United States it is very complex to "pay" children).
- (6) It takes time and patience to build an effective intergenerational design team. We have found that 6 months is needed before a team of children and adults can be cometruly effective.

To support these assumptions, we have changed the way we set expectations, brainstorm and reflect as a team . In the sections that follow, more description of those are as willbepresented.

## SettingExpectations

Wehavefoundthatagreeduponexpectations can lead to a coherent design vision, a more communicative team and less opportunity for miscommunication and frustration among team members. We are careful to set team expectations at the start of any design session. The way we do this with childre n and adults on the same design team is with something as simpleas "snacktime." While this was mean toriginally to replenish the energies of young children and graduate students with food, we have come to see this time as a critical part of our design methodology.

Each of our sessions starts with 15 minutes of snack tim e, where adults and children informally discuss anything that comestomind. Onedayit could be a discussion about too muchhomeworkinschool.thenextdavitcouldbesharing themostembarrassingsituationwe'vealleverencounter ed. We have found that when our team spends time this way, adultsandchildrencometoknoweachotheraspeoplewith livesoutside of the lab. This helps all partners to be more eager in later sharing brainstorming ideas. The intercultural communications literature discusses this type of informal socializing in "contact theory." This the ory suggests that to get beyond prejudice and develop better working relationships there must be some social contact [12].

Following this informal discussion, we typically talk about the work for the day. We look to find agreement among design teammembers when it comes to goals and activitie to be accomplished. Typically, we will make adjustments toourday's focus based upon teammember input.

#### Brainstorming

We have written a great deal in regards to the brainstormingprocess with children [3,4,5,6]. How ever, what we have come to realize is the unpublished importance of "idea elaboration." We have found that our best ideas are ones where it is difficult to tell who originated the idea. Wasitachild's, an adult's, two adul and achild, or two children and two adults'? Whatever case, our ultimatego alasa team is one of "idea-building, where one person builds on an other person's idea.

This may seem to be an obvious goal, but when people work with children, this goal can get lost. What is more typical is for design teams of adults to brainstorm and develop initial ideas. Once this occurs, only later will adults bounce an idea off of a child either in the form of a sketch, prototype, or general discussion. In that case, there is little elaboration of ideas and more reactionary eedback.

Withourteam, we look to include children's ideas from the moment we start the design process. Such techniques as thelow-techprototypingofparticipatorydesignandth euse ofstickynotesonawhiteboardcangivealldesignpartn ers a voice in the brainstorming process. However, at any time, if one technique does not lead to idea elaboration, t he team will quickly change course and try another brainstorming method. We have seen all too often, t hat when working with children, researchers try to carefully follow their session plan, similar to a curriculum plan f ora schoolteacher. But with this kind of brainstorming. researchers need to be flexible and look for the best methodsofcommunication.Todothis,itiscriticalto have a supply of design materials freely accessible (e.g., sti cky notes, paper, crayons, LEGOblocks, clay, etc.) Itsu rprises many adults that children are not upset by this more improvisational design methodology. We have found children can soon learn that the goal of the day is important, and that any method to get to that goal (within reason)isfine.

The specific brainstorming techniques we used to develop the StoryRooms concepts and interactions will be further described in later sections.

## TeamReflections

We have found that team design with children can be especially"messy." Unfortunately, it can be easy t olose track of ideas or data generated by the team. This may be due to a quick change necessary in the brainstorming process that day. This may be due to a young child's inability to remember where he or she left the team notes. Thismayalsobeduetoanadultforgettingtohitthe"pl ay" button on the video camera, because child team member interrupted him in the middle of a thought. Therefore, w e use a combination of journal writing, video camera observation, team discussion, and adult debriefing. With many ways to capture data, we are less likely to lose what wearelookingfor.



Figure2.TeamJournals.

Intermsofjournalwriting, childrenandadultsarea skedto keepa"labnotebook"that caninclude anything from what they found important one day, to making a list of things theystillneedtodoforaproject. Weusethesejour nalsto keep track of our project ideas, and to examine the design process-what's working, what's not. In addition to the journals, in each design session we use video to record our activities. For the most part, the children on the te am will use the video camera. In this way, our young team membersfeelless self-conscious about a camera since one of their own peers is using it. In addition, the adults onthe team also feel less uncomfortable being taped since i t is likely a child is videotaping the oddest of things (e.g., a knee,anose,roomfly-thrus,etc.).

Teamreflectionalsooccurs with a great deal of discuss ion. Many times we will split up into smaller groups to accomplish a series of tasks needed for a day. When this happens, we are sure to end the day with a full team discussion about what each sub-group accomplished, thought about, or found. Following each design session, we also have an "adult debriefing." This is a time when adults on the team reflect on the design process. How ar e we doing? What new or better ways are there to help the children understand a difficult concept? This is a time where adults can stand back and look at the big picture of things—sometimes more difficult to do when children are present.

Overall, thereflection processis critical in captu ring design history, refocusing efforts if necessary, and looking to the future. Reflecting as a team can help us to set expectati ons and change our team brain storming practices.

## OURDESIGNPROCESSFORSTORYROOMS

In this section we will focus on how we applied our methodology of "cooperative inquiry" to designing StoryRooms. Webeganourresearchbytryingtodevelop as shared concept of StoryRooms. We then attempted to build our own StoryRoom environment. And finally we began to develop authoring methods and tools for StoryRooms.

## DefiningStoryRooms

Webegan our work by trying to decide what a Story Room actually was. The adults on our team started with the notion that a Story Room was a collection of sensors and actuators that people interact within a room, such that th interaction conveys a story. This concept was not something that the children on our team even began to understand. Therefore, we started our research with a



Figure3.Augmentingaphonewith"sensors"and "actuators".

series of "scenario walk thrus" of the nursery rhyme *Hickory Dickory Dock*. By this we mean, the team members emulated the possible sensors, actuators, and th computerprogramby using their bodies, spotlights, colore paper and more.

In our prototype, the story started with narrating the first partsoftherhymeandaskingtheStoryRoomparticipa ntto continue therhyme with a choice of different objects. For example, the second line of therhyme was "Themousera n up the ?," and the participant in the StoryRoom had to chose either a clock, a table, or a phone, which were augmented with tags and sensors. Then, the rhyme continued depending on the chose nobject.

From this experience, the team began to envision an entir e room that could tell an interactive story. However, fo r many of our child team members, there was still a bit of confusion. They saw this scenario walk thru as a "pla we were going to perform for parents and friends. They did notseehowthiscouldturnintoa" computer" as they knew it. Therefore, we decided it was time to do some local researchatascienceandtechnologymuseuminBaltimore. Wejumpedintoarentedvananddroveto PortDiscovery. Thereweexplored their "StoryRooms." The children could solve a crime or explore an Egyptian mystery. After thi S dayoffieldwork, we went back to the lab and wrote down on sticky notes, three things we liked about the experiences, and three things we did not. One child summedup the most frequently discussed aspect; "I didn't like that there was too many broken things. Some things seemeddangerous or Islipped sometimes" (Lauren, age 8, August 1999). The team also agreed that the "long lines" were not fun" (Thomas, age 9, August 1999). What they did seem to universally like, was "solving mysteries." So while the team found the story telling aspects of the ro oms compelling, the physical implementation was less than appealing. From this contextual inquiry experience, we a 11 (adults and children) came to a shared understanding of StoryRooms.

## PrototypingOurFirstTeamStoryRoom

OurnextstepwastotrybuildingaprototypeStoryRoomof our own, taking into consideration what we already liked and disliked about our previous experiences. To do this, wesplitupintothreesmallergroupsoftwoadultsandtwo children to work on different aspects of the problem. The hardware team looked at different sensors and actuators t 0 be used; the software team attempted to design a softwar е authoringtoolfortheroom; and the story group worked o n writing a story for the room. Unfortunately, this arrangementdidnotgetusveryfar. Whatwecametofind out is that we were missing agreed-upon story content. Without a story, our work was just too abstract for bot h adultsandchildren. For example, the hardware group had



Figure4.Hardwaregroupstudyingsensors.



Figure6.Designsketchofsneetchesroom.



Figure5.Softwaregroupworking.

averydifficulttimeimaginingallthesensorsandactuat ors needed without a story example. The story group tried to develop an example, but it was almost impossible to use since it was so complex. Unfortunately, it was a stor understoodonlybythestorygroup.

Therefore, we took a few steps back as a team and found а simpleagreeduponstory. Wedidthisbythinkingaboutall the stories we liked. We took a vote and the Dr. Seuss story. *The Sneetches* won. Once we had a story, things startedtotakeshapequickly. We went from "what if's" to "this is how's." The story group developed an adaptation of the story for an interactive room. Specifically, th eydrew a storyboard of the events happening in the room. The hardware group built props for the stage. The props were made of cardboard boxes, and were decorated by the children. We augmented the props with embedded computers (Handy Boards), electric switches, and lightbulbs. We connected the props to Macintosh computers to control the room interactions. We also use d loudspeakers and video projectors to playback voice and displaygraphicsintheroom.

In addition to this, the software group developed the necessary software for computers, which included coding and creating graphics and voices for the story. Most of the graphics were simple, and the voices were recordings of partsoftheoriginal story.

We then scheduled a demonstration of the StoryRoom for members of the lab, parents of children, and our friends. During the demonstration we found out that many aspects of a good interactive storytelling were missing from ou r prototype. We had designed the room with implicit knowledge of the story, but the StoryRoom participants missed some connecting elements that were critical to understanding the story. For example, participants didn't knowwhattheStoryRoomexpectedthemtodo, and many times during their experience the participants were idle trying to find out an interaction possibility. Neverthel ess. weobservedthatthesixchildrenonourteamwhobuiltth е environment greatly enjoyed interacting with the StoryRoom.

Again, we took some time to reflect on our experiences. We came to the following conclusions using our sticky notesmethod:

- (1) We didn't just want to build StoryRooms using other people's stories. *The Sneetches* was anice start, but we wanted to do more. We wanted an easierwaytobuildourownstories.
- (2) We liked the low-tech props we created. It gave us a chance to build our room quickly using



Figure7.Childrenbuildingprops.

materials we were familiar with. At first, we saw these props as something temporary until we built more "permanent props." Instead, we've come to see these propsasbeing fine the way they are.

(3) We thought that the act of building the room was as fun (if not more) than actually participating in the story itself. Somehow, our StoryRooms should let all kidshave this same experience.

We set the new goals of our research team to include th following: (1) to build an authoring tool for children to

e

create their own stories; (2) to provide tools to make augmenting physical objects easier; (3) to develop a software architecture to easily integrate the augmented objects and the authoring tool together.

#### BrainstormingAuthoringMethodsforStoryRooms

In the fall of 1999, we began to focus on the storytelling experience. Specifically, we asked ourselves what processes and technologies were necessary to tell as to ryin a StoryRoom? We understood how to adapt an existing story, but we were uncertain about how to come up with a new story from scratch. To explore the possibilities, we began by telling stories verbally. One brainstorming experience that worked quite well for us was a traditional collaborative storytelling methodology. We passed a "magic" platetoeachother. Webegan with, "Onceupona timetherewasamagicplate..."Eachtimeapersononthe team received the plate they would add something to the story. In this way, we improvised a multi-authored s tory that was somewhat coherent. As we reflected on our experience, we realized that this storytelling exercise, symbolized to us what we ultimately wanted our StoryRoomstobe. We wanted StoryRoomsthat could be aseasytotellastoryaspassingaplatearound.W ewanted themtobecollaborativestorytellingexperiences. W ealso realized, perhaps most importantly, how critical props could be. The magic plate became an agreed upon thread throughout our stories. This same prop never stopped us from making new stories over and over, and yet, it was a waytobuildacoherentsharedstory.

With the magic plate in mind, we split up into two groups to try to develop our general ideas into a specific approac h to Story Rooms. Over the course of three months, we continued to brainstorm in our competing groups (three children and three adults in each group). We found that th with inteam competition (e.g., which group would come up with the better Story Room) was an easy way to spur on continued excitement for the research. This competition



Figure8.Therolesweplayedduringthedesign process.

propelled the team members to come up with more refined ideas about Story Rooms.

Interestingly, the thing we struggled with most as a team was how to move from being storytellers, to StoryRoom builders.Asoneofourteammemberswouldsayfromtime

to time, "I'm telling the story again. That's not what I 'm supposed todo. We're supposed to make the room" (Abby, age 8, September 1999).

It soon became clear, that the whole team became adept telling stories. Most of these stories were about magi witchcraft and sorcerers. We also had stories about ali outerspace, and a few stories about animals. We develo a "story-starter method" quite by accident one day. We were sitting at atable trying to come up with stories when we began throwing "story props" into the magic plate. We asked ourselves, what if that plate could contain any props we wanted to start stories? We threw our keys in, a



Figure9.Magicplateandideacards.

thumbtack, a chewed pencil, and a mangled Styrofoam coffeecup. When we didthis, we started connecting allt he propsina story. "Once upon a time, there was a myster y, who left the coffee cup? Why did they leave in such a hurry that they left their keys? …" (Researcher notes , September 1999).

From this story starting experience we discussed that certain props were better at prompting stories than othe rs. There was also the discovery that props could lead to different story structures: (1) the same props can produce different stories; (2) the same props can produce one stor y with many different orders to it; (3) different props can produce the same story; (4) and different props can inspire different stories.

From this experience, we began to realize that our StoryRooms should be built with a kit, one that had the possibilityofanyproppeople wanted. We "simulated" this with sticky notes. Each team member wrote a few prop ideas on sticky notes, to be shared by the team. We th would pick three of these ideas out of a pile. A story was thendeveloped using the three props. We later changed the sticky notes with written words on them, to cards with pictures and a written idea which we now call "idea cards." We realized that our kit to build StoryRooms could not contain everypropin the world already made. But it coul contain ideas, to get children thinking about what they could make.

en

d

Eventually we settled into a storytelling routine. B efore we would begin brainstorming about StoryRooms, we would tell a few stories with idea cards. The next sta gein our design process was to transform our team from storytellers to builders of a StoryRoom. We accomplishe d thistransformationbyaskingteammemberstothinkabout the steps they needed to take to make a StoryRoom based on the stories they told with idea cards. We talked about how we could use sound effects, graphic, sensors, and computers to build StoryRooms. For example, we talked about how we could use a projected image in the room to telldifferentaspects of the stories, or how arobot couldbe used as part of story. As one of our child team member S explained in his journal, "Today we worked on our StoryRooms. My big idea was to project doors on the walls. I also thought up the thing that you were the mai n character in the story. Now we're getting more done because we know what we're doing. It's getting more fun allthetime"(Thomas, age11, October 1999).

And Thomas was right. By October, we began to make progress in understanding StoryRooms. We understood thatStoryRoomswouldstartoutwithakit.Weunderstood that it would contain "story starters" that would prompt children to make story props. We envisioned these props coming alive thanks to sensors and actuators, but we s till had one more area to define. This was the StoryRoom authoringsoftwarethatwouldbeusedtodefinetheroom' S magic.Gradually,theteammembersgraspedtheideaof an authoringsoftware, and we came to three different ways to authorastoryforaStoryRoom. One of the teammembe rs came up with the idea to use comic strips as the Story visualization. Other ideas shortly followed, to use timelines.andtousearrow-notes.Whatwewerelookin gat was in fact a visual programming language for a StoryRoom. This language needed to have constructs to build all kinds of interaction between objects in the StoryRoomaswellastheparticipants.Itneededtosupport events happening in the room that may have spatial and temporalfeatures.

To further define this visual programming language, we chose one of our previously developed team stories and triedtovisualizeitindifferentways. Wedividedthet eam intothreegroups, eachhadthetaskofdrawingthestor yin one of the representation formats described previously. We again evaluated these different ideas. At the end, we decided to combine these ideas together, and use comic strips as the main representation of the story, and usi arrownotestoconnect the comic strips together.

#### WouldWeDoltAgain?

In reflecting on our design process, we have come to realize that our design steps truly mirrored the roles we understood. Webegan as StoryRoom participants. During thatphase, we explored other people's StoryRooms and our own. We then moved on to story tellers. During that phas in the design process, we excelled in imagining what new stories could be told in our StoryRooms. We have now finally moved on to being StoryRoom builders. We have

e

focused our energies in developing the technologies that can become StoryRooms. Would we still need to pass through these design phases and roles again, had someone justtolduswhattoexpect? Webelievetheanswerisy Since none of us had spent much time with StoryRooms, weneeded to immerse ourselves in what they were, befor we could build tools for other stocreate them. Perhaps brain storming process might have gone more quickly than the six months, but we have had the luxury of being university researcher sable to enjoy the exploration.

#### TODAY'STECHNOLOGIESFORSTORYROOMS

Currently our vision of building StoryRooms consists of three parts: hardware, software, and "funware." Software and hardware are well known concepts in the computer world.howeverfunwarewebelievewillbecomecritica lin the years to come. Funware in our StoryRoom authorin g environment is the part of system that supports users wi th ideas.Itishowwecanhelppeoplestartstories.Co mpared toprogramminglanguagepackages, funware is the package of example code, or it is the example LEGO constructions in a LEGO kit. During our work with our child design partners, we observed that the younger of our children like d to play with ideas given to them. In fact, one of our team members specifically asked to be surrounded with objects sohecould comeup with stories more easily.

The materials to build StoryRooms will consist of a w ide spectrumoftechnologies: high-techmaterial (e.g., sens ors. wirelessenabledembeddedcomputers, electronictags) and low-techmaterials(e.g., cardboard, paper, and plastic cups tobuildtheprops). It is our belief that any room sh ouldbe able to become a StoryRoom. Children in schools or at home should be able to develop their own story, by buildingprops for the story using low-tech materialso rany other object they may find in their surroundings. They can then augment the props with the embedded technologies that essentially work as wireless sensors or actuators. They then can use a more powerful computer to develop their storieson, and program the props the way they wish.

Developing a StoryRoom in this sense is in fact like building a robot, a robot whose parts are spread all throughouttheroom.However,theuserinterfaceissuesare completelydifferent.Fromalowerlevelview,thepr oblem is different in the sense that the communications with а robotiseasierasitisamore compactartifact. T herefore. while the final product can be compared with robotic kits for children (e.g. LEGO Mindstorms), the complexity of developing StoryRoom technologies of this type can be overwhelming for children. In addition, the possibility of large numbers of augmented objects in a story, and the infeasibility of wiring or connecting all these objects to each other is no small task. Along with this, thenee d for low-power, small, inexpensive, and lightweight embedded technologies that communicate through a wireless medium isanotherchallengewearecurrentlyaddressing.

However, we consider the main challenge of our work to be the design of a visual programming tool for the Story Room.

Whilewehaveprototypesrunninginthelabtoday, we are still refining and working towards software that is easy to use for children, yet inherently suitable for developing а story throughout a room. This software system must provide support for many augmented objects in a room. Anotherchallengeisindevelopingtheunderlyingsoftware architecture that can support all kinds of events that could happenin StoryRoom. These events consist of both spatia 1 and temporal information. Spatial processing of events isa concept that lacks previous attention. For example, LEGO Mindstorms does not have a way to program the robot concerningitslocation in space. However, it is easy tosee example interactive stories that need to know the loca tion ofobjectsintheroom.

#### Funware

We have developed idea cards, example stories, and example story themes as ways to encourage children to develop their own StoryRooms. The idea cards, are cards printed with the image of an object and words describing the object. The system stores information about each i card that will be used later for authoring the story. T software also allows children to generate new idea cards using a printer. Example stories and story themes are simple adventures with instructions of how to make a StoryRoombasedonthem.

#### Hardware

Wehavesensors(touch, proximity, heatandlightsens ors), wireless radio transceiver modules, actuators (motors, lights, speakers), in the "Story Kit". Children, with the help of older friends can put together these to form an embedded computer. They can then augment physical objects in the room with these computers. For example, a child could make a talking stuffed animal by embedding it with a speaker, at ouch sensor, and a wireless module. She could also build her own props using low-tech materials found in her home. Once she creates and/or selects her props, she could then attach the idea card to the prop, so that she knows what kind of object she has to build. Sh e then could use a handheld computer to relate the prop withthe corresponding idea card. From this point on, the syst em is aware of the prop and the types of activities it can perform.Inourexample,thesystemknowsthatthestuffe d animaliscapable of playing back sound, and being touch ed by the children. This information will later be used in th e softwaretoconnectallelementsofthestory.

We foresee children willhave more high-tech toys in near future. Toys that are already augmented with computing power, and can communicate to other devices. We envision children being able to incorporate their favorite toys in StoryRooms of their own. They will be also able to participate in stories with their friends and parents, s hare the stories with other children, and have the freedom to realize their make-believe worlds. We hope to focus on future enhancements that will enable users to share and participate instories that occurinse paraterooms.

#### Software

Currently, a child can author a StoryRoom based on the props she has made. She can always change or add new props while authoring the story. This is accomplished by composing a series of comic strips. Each frame of the comic strip shows props in the room at their current location. The next frame in the comic strip indicates changes that happened in the story objects. For example, if a light is turned on in the next comic strip frame, the



Figure10.Comicstripsasrepresentationofstory.

transition will make the light turn on in the room. The comic frames may have many transitions to other comi с frames. The status of sensors in comic strips indicat es the transition. For example in a typical opening frame of a story, a touch sensor is used to welcome the participant to the StoryRoom. So, the very first frame (#1) shows th e touchsensornotactivatedandthenextframe(#2)shows it activated. Now, suppose the story has two talking props that start talking to the participant when he gets close to them. For these props to begin talking, there are two frames (#3 and #4) representing props talking with transitionsfromframe#2.Eachshowstheparticipantc lose to one of the props. The system will then decide which of these frames to activate based on the position of the participant to any of these props. Both frames #3 and #4 contain a measure of closeness to the participant. It isalso possible that none of the frames gets activated. A spec ial clock object will enable users to activate certain fram es basedonthepassageoftime.Inourexample,let'sco nsider thatahintaboutthestoryshouldbegiventotheuserif he doesnotgetclosetoanyofthepropsin5minutes.Adding the clock object to frame #2, and a hint frame (#5) allows the user to specify the time. The only requirement will be that the time on frame #5's clock is 5 minutes after fra me #2'sclock.

Navigating the software through different parts of the s tory is supported by Jazz, a Java-based architecture, developed at the University of Maryland (http://www.cs.umd.edu/hcil/projects/jazz). To support more complex stories, the user can encapsulate different

all

partsofthestory and then zoom through encapsulations to see the underlying details. This same zooming interface allows for setting up or controlling props. To navigate through different props in the room, the user simply uses the zooming interface to select them for inclusion in a frame. At the same time, by zooming on a propofa fra the user can change its various status or activities.

## CHALLENGESFORTHEFUTURE

As we look to the future, we see two important areas to be improved further. The first is to continue to refine t he StoryRoom technologies and user experiences. We know there is still a great deal to understand in supporting children as authors of the seen vironments. What addit ional tools do children need? What environments can they make? What impact can these environments have on children's learning experiences? All are questions that w e hopetoanswer with future empirical studies.

The second area we intend to focus on is our design process. We intend to continue our efforts in further refining and understanding the Cooperative Inquiry design process with children. With each research project we undertake, we continue to rethink what we do, how we do it, and ultimately this changes what we build for the future e.

# ACKNOWLEDGMENTS

Thisworkhasbeen funded through the generous support of the European Union's i3 Experimental School Environments initiative, DARPA, the Lilly-Center for Teaching Excellence Fellowship, and the Institute for Advanced Computer Studies. We would also like to thank our colleagues in the Human-Computer Interaction lab who continue to inspire and support us in numerous ways.

#### REFERENCES

- 1. Bobick, A., Intille, S., Davis, J., Baird, F., Pinhanez, C., Campbell, L., Ivanov, Y., Schutte, A., & Wilson, A. The KidsRoom: A perceptually-based interactive and immersive story environment *. Presence: Teleoperators andVirtualEnvironments*, 8,4,367-391.
- Bruchac, J. Survivalthisway: Interviews with American Indian poets. University of Arizona Press. Tucson AR, 1987.
- 3. Druin, A. Cooperative Inquiry: Developing New Technologies for Children with Children, in *Proceedings of CHI'99* (Pittsburgh PA, May 1999), ACMPress, 592-599.
- 4. Druin, A. The role of children in the design of new technology.submittedto *ACMTransactionsonHuman-ComputerInteraction*.
- Druin, A., Bederson, B., Boltman, A., Miura, A., Knotts-Callahan, D., & Platt, M. Children as our technologydesign partners. A. Druin (Ed.), *The design*

of children's technology . Morgan Kaufmann, San FranciscoCA, 1999.

- Druin, A., Montemayor J., Hendler J., McAlister B., BoltmanA., FitermanE., PlaisantA., KruskalA., Olsen H., Revett I., Schwenn T., Sumida S., Wagner R. Designing PETS: A Personal Electronic Teller of Stories, in *Proceedings of CHI'99* (PittsburghPA, May 1999), ACMPress, 326-329.
- 7. Druin, A., and Perlin, K. Immersive environments: A physical approach to the computer interface. in *Companion of CHI '94* (Boston, MA, April 1994), ACMPress, 325-326.
- 8. EdwinSchlossbergInc.http://www.esidesign.com.
- 9. Geisel, T. *The Sneetches, and Other Stories* . Random House, New York, 1961.
- Gish, R. F. Beyond bounds: Cross-Cultural essays on Anglo, American Indian, and Chicano literature University of New Mexico Press, Albuquerque NM, 1996.
- 11. Goldman, L.R. *Child'splay: Myth, mimesis, and make-believe*. New York, BergPress, 1998.
- 12. Jackson, J. W. Contact theory of intergrouphostility: A review and evaluation of the theoretical and empirical literature. *International Journal of Group Tensions*, 23, 1,43-65.
- 13. Maddocks, R. Bolts from the blue: How large dreams canbecomerealproducts.A.Druin,&J.Hendler(eds.), *Robotsforkids:Newtechnologiesforlearning*. Morgan Kaufmann,SanFranciscoCA,inpress.
- 14. Martin, F., Mikhak, B., Resnick, M., Silverman, B., & Berg, R. To Mindstorms and beyond: Evolution of a construction kit for magical machines. A. Druin, & J. Hendler (eds.), *Robots for kids: New technologies for learning*. Morgan Kaufmann, San Francisco CA, in press.
- 15. Ortiz, S. Speaking for generations: Native writers on writing. University of Arizona Press, Tucson AR, 1998.
- Semper, R. J. Science museums as environments for learning. *PhysicsToday*, 43,11,50-56.(1990)
- Strommen, E. When the interface is a talking dinosaur Learning across media with Actimates Barney. in *Proceedingsof CHI'98* (Los Angeles CA. April 1998), ACMPress, 288-295.
- 18. Umaschi, M. Soft toys with computer hearts: Building personal storytelling environments . in *Extended Abstracts of CHI'97* (Atlanta GA, March 1997), ACM Press, 20-21.
- 19. Vygotsky, L. *Thought and language*. MIT Press, CambridgeMA,1986.