

- Bjartmar, L., Huberman, A. D., Ullian, E. M., Rentería, R. C., Liu, X., Xu, W., Prezioso, J., Susman, M. W., Stellwagen, D., Stokes, C.C., Cho, R., Worley, P., Malenka, R. C., Ball, S., Peachey, N. S., Copenhagen, D., Chapman, B., Nakamoto, M., Bares, B. A., Perin, M. S. (2006). Neuronal pentraxins mediate synaptic refinement in the developing visual system. *Journal of Neuroscience*, 26(23), 6269-6281. <https://doi.org/10.1523/JNEUROSCI.4212-05.2006>
- Black, R. A., Bird, T. A., Mohler, K. M. (1997). Agents that block TNF- α synthesis or activity. In *Annual Reports in Medicinal Chemistry*, 32, 241-250). [https://doi.org/10.1016/S0065-7743\(08\)61482-7](https://doi.org/10.1016/S0065-7743(08)61482-7)
- Bliss, T. V., Cooke, S. F. (2011). Long-term potentiation and long-term depression: a clinical perspective. *Clinics*, 66, 3-17. <https://doi.org/10.1590/S1807-59322011001300002>
- Bridi, M.C.D., Zong, F., Min, X., Luo, N., Tran, T., Qiu, J., Severin, D., Zhang, X., Wang, G., Zhu, Z., He, K., Kirkwood, A. (2020) Daily Oscillation of the Excitation-Inhibition Balance in Visual Cortical Circuits, *Neuron*, 105(4): 621-629 <https://doi.org/10.1016/j.neuron.2019.11.011>.
- Brückner, G., Grosche, J., Schmidt, S., Härtig, W., Margolis, R. U., Delpech, B., Seidenbecher, C. I., Czaniera, R., Schachner, M. (2000). Postnatal development of perineuronal nets in wild-type mice and in a mutant deficient in tenascin-R. *Journal of Comparative Neurology*, 428(4), 616-629. [https://doi.org/10.1002/1096-9861\(20001225\)428:4<616::AID-CNE3>3.0.CO;2-K](https://doi.org/10.1002/1096-9861(20001225)428:4<616::AID-CNE3>3.0.CO;2-K)
- Busche, M. A., Kekuš, M., Adelsberger, H., Noda, T., Förstl, H., Nelken, I., Konnerth, A. (2015). Rescue of long-range circuit dysfunction in Alzheimer's disease models. *Nature Neuroscience*, 18(11), 1623-1630. <https://doi.org/10.1038/nn.4137>
- Chalaris, A., Adam, N., Sina, C., Rosenstiel, P., Lehmann-Koch, J., Schirmacher, P., Hartmann, D., Cichy, J., Gavrilova, O., Schreiber, S., Jostock, T., Matthews, V., Häslér, R., Becker, C., Neurath, M. F., Reib, K., Saftig, P., Scheller, J., Rose-John, S. (2010). Critical role of the disintegrin metalloprotease ADAM17 for intestinal inflammation and regeneration in mice. *Journal of Experimental Medicine*, 207(8), 1617-1624. <https://doi.org/10.1084/jem.20092366>
- Chang, M., Park, J.M., Pelkey, K.A., Grabenstatter, H.L., Xu, D., Linden, D.J., Sutula, T.P., McBain, C.J., Worley, P.F. (2010) Narp regulates homeostatic scaling of excitatory synapses on parvalbumin-expressing interneurons. *Nature Neuroscience*, 13(9): 1090-1099. <https://doi.org/10.1038/nn.2621>
- Chapnick, D. A., Bunker, E., Liu, X. (2015). A biosensor for the activity of the “sheddase” TACE (ADAM17) reveals novel and cell type-specific mechanisms of TACE activation. *Science Signaling*, 8(365), rs1-rs1. <https://doi.org/10.1126/scisignal.2005680>
- Chater, T. E., Goda, Y. (2014). The role of AMPA receptors in postsynaptic mechanisms of synaptic plasticity. *Frontiers in Cellular Neuroscience*, 8, 401. <https://doi.org/10.3389/fncel.2014.00401>
- Cho, R.W., Park, J.M., Wolff, S.B.E., Xu, D., Hopf, C., Kim, J., Reddy, R.C., Petralia, R.S., Perin, M.S., Linden, D.J., Worley, P.F. (2008) mGluR1/5-dependent long-term depression requires the regulated ectodomain cleavage of neuronal pentraxin NPR by TACE. *Neuron*, 57(6), 858-871. <https://doi.org/10.1016/j.neuron.2008.01.010>.
- Chokshi, V., Gao, M., Grier, B. D., Owens, A., Wang, H., Worley, P. F., Lee, H. K. (2019). Input-specific metaplasticity in the visual cortex requires Homer1a-mediated mGluR5 signaling. *Neuron*, 104(4), 736-748. <https://doi.org/10.1016/j.neuron.2019.08.017>

- Chu, P., Abraham, R., Budhu, K., Khan, U., Garcia, N. D. M., Brumberg, J. C. (2018). The impact of perineuronal net digestion using chondroitinase ABC on the intrinsic physiology of cortical neurons. *Neuroscience*, 388, 23-35. <https://doi.org/10.1016/j.neuroscience.2018.07.004>
- Coleman, J. E., Nahmani, M., Gavornik, J. P., Haslinger, R., Heynen, A. J., Erisir, A., Bear, M. F. (2010). Rapid structural remodeling of thalamocortical synapses parallels experience-dependent functional plasticity in mouse primary visual cortex. *Journal of Neuroscience*, 30(29), 9670-9682. <https://doi.org/10.1523/JNEUROSCI.1248-10.2010>
- Dandona, R., Dandona, L., Srinivas, M., Sahare, P., Narsaiah, S., Muñoz, S. R., Pokharel, G. P., Ellwein, L. B. (2002). Refractive error in children in a rural population in India. *Investigative Ophthalmology Visual Science*, 43(3), 615-622.
- Dobbs, C. D., Omeis, I. A., Cushman, S. J., Helms, J. A., Perin, M. S. (1997). Neuronal pentraxin receptor, a novel putative integral membrane pentraxin that interacts with neuronal pentraxin 1 and 2 and taipoxin-associated calcium-binding protein 49. *Journal of Biological Chemistry*, 272(34), 21488-21494. <https://doi.org/10.1074/jbc.272.34.21488>
- Du, S., Wang, T., Li, Z., Li, T., Miao, Z., Chen, Y., Zhu, S., Wei, W., Deng, H. (2025). Therapeutic Potential of Qilianxiaopi Formula: Targeting ADAM17-Mediated Chronic Inflammation in Atrophic Gastritis. *Pharmaceuticals*, 18(3), 435. <https://doi.org/10.3390/ph18030435>
- Dudek, S. M., Bear, M. F. (1989). A biochemical correlate of the critical period for synaptic modification in the visual cortex. *Science*, 246(4930), 673-675. <https://doi.org/10.1126/science.2573152>
- Duffy, K. R., Bear, M. F., Patel, N. B., Das, V. E., Tychsen, L. (2023). Human deprivation amblyopia: treatment insights from animal models. *Frontiers in Neuroscience*, 17, 1249466. <https://doi.org/10.3389/fnins.2023.1249466>
- Duménieu, M., Marquèze-Pouey, B., Russier, M., Debanne, D. (2021). Mechanisms of plasticity in subcortical visual areas. *Cells*, 10(11), 3162. <https://doi.org/10.3390/cells10113162>
- Endres, K., Anders, A., Kojro, E., Gilbert, S., Fahrenholz, F., Postina, R. (2003). Tumor necrosis factor- α converting enzyme is processed by proprotein-convertases to its mature form which is degraded upon phorbol ester stimulation. *European Journal of Biochemistry*, 270(11), 2386-2393. <https://doi.org/10.1046/j.1432-1033.2003.03606.x>
- Ertosun, M. G., Kocak, G., Ozes, O. N. (2019). The regulation of circadian clock by tumor necrosis factor alpha. *Cytokine Growth Factor Reviews*, 46, 10-16. <https://doi.org/10.1016/j.cytogfr.2019.04.001>
- Ferguson, B. R., Gao, W. J. (2018). PV interneurons: critical regulators of E/I balance for prefrontal cortex-dependent behavior and psychiatric disorders. *Frontiers in Neural Circuits*, 12, 37. <https://doi.org/10.3389/fncir.2018.00037>
- Fitch, M. T., Silver, J. (1997). Glial cell extracellular matrix: boundaries for axon growth in development and regeneration. *Cell and Tissue Research*, 290, 379-384. <https://doi.org/10.1007/s004410050944>
- Floyd, R. A., Krueger, J. M. (1997). Diurnal variation of TNF α in the rat brain. *Neuroreport*, 8(4), 915-918. <https://doi.org/10.1097/00001756-199703030-00020>
- Fong M., Duffy, K.R., Leet, M.P., Candler, C.T., Bear, M.F. (2021) Correction of amblyopia in cats and mice after the critical period. *eLife*, 0: e70023. <https://doi.org/10.7554/eLife.70023>

- Frenkel, MY., Bear, MF. (2004) How Monocular Deprivation Shifts Ocular Dominance in Visual Cortex of Young Mice. *Neuron*, Vol. 44, 917–923.
<https://doi.org/10.1016/j.neuron.2004.12.003>
- Garbers, C., Chalaris, A., Meyer, D., Jänner, N., Rose-John, S., Scheller, J. (2010). PL2-5 Human but not mouse IL-6R is a substrate for TACE: Analysis of the molecular basis of species specificity using chimeric IL-6R proteins. *Cytokine*, 52(1-2), 37.
<https://doi.org/10.1016/j.cyto.2010.07.166>
- Geribaldi-Doldán, N., Carrasco, M., Murillo-Carretero, M., Domínguez-García, S., García-Cózar, F. J., Muñoz-Miranda, J. P., Castro, C. (2018). Specific inhibition of ADAM17/TACE promotes neurogenesis in the injured motor cortex. *Cell Death Disease*, 9(9), 862. <https://doi.org/10.1038/s41419-018-0913-2>
- Ghiarone, T., Castorena-Gonzalez, J. A., Foote, C. A., Ramirez-Perez, F. I., Ferreira-Santos, L., Cabral-Amador, F. J., de la Torre, R., Ganga, R. R., Wheeler, A. A., Manrique-Acevedo, C., Padilla, J., Martinez-Lemus, L. A. (2022). ADAM17 cleaves the insulin receptor ectodomain on endothelial cells and causes vascular insulin resistance. *American Journal of Physiology-Heart and Circulatory Physiology*, 323(4), H688-H701.
<https://doi.org/10.1152/ajpheart.00039.2022>
- González, E. G., Wong, A. M., Niechwiej-Szwedo, E., Tarita-Nistor, L., Steinbach, M. J. (2012). Eye position stability in amblyopia and in normal binocular vision. *Investigative Ophthalmology Visual Science*, 53(9), 5386-5394. <https://doi.org/10.1167/iovs.12-9941>
- Gladding, CM., Fitzjohn, SM., Molnar, E. (2009) Metabotropic Glutamate Receptor-Mediated Long-Term Depression: Molecular Mechanisms. *Pharmacological Reviews* 61:395–412.
<https://doi.org/10.1124/pr.109.001735>
- Grumet, M., Friedlander, D. R., Sakurai, T. (1996). Functions of brain chondroitin sulfate proteoglycans during developments: interactions with adhesion molecules. *Perspectives on Developmental Neurobiology*, 3(4), 319-330.
- Gu Y., Huang, S., Chang, M., Worley, P., Kirkwood, A., Quinlan, E.M. (2013) Obligatory role for the immediate early gene NARP in critical period plasticity. *Neuron*, 79(2):335-46.
<https://doi.org/10.1016/j.neuron.2013.05.016>
- He, H. Y., Hodos, W., Quinlan, E. M. (2006). Visual deprivation reactivates rapid ocular dominance plasticity in adult visual cortex. *Journal of Neuroscience*, 26(11), 2951-2955.
<https://doi.org/10.1523/JNEUROSCI.5554-05.2006>
- Heir, R., Stellwagen, D. (2020). TNF-mediated homeostatic synaptic plasticity: from in vitro to in vivo models. *Frontiers in Cellular Neuroscience*, 14, 565841.
<https://doi.org/10.3389/fncel.2020.565841>
- Hensch, T.K. (2005) Critical Period Mechanisms in Developing Visual Cortex. *Current Topics in Developmental Biology*, 69:215-237. [https://doi.org/10.1016/S0070-2153\(05\)69008-4](https://doi.org/10.1016/S0070-2153(05)69008-4)
- Heppner, F. L., Ransohoff, R. M., Becher, B. (2015). Immune attack: the role of inflammation in Alzheimer disease. *Nature Reviews Neuroscience*, 16(6), 358-372.
<https://doi.org/10.1038/nrn3880>
- Hess, R. F., Thompson, B. (2015). Amblyopia and the binocular approach to its therapy. *Vision Research*, 114, 4-16. <https://doi.org/10.1016/j.visres.2015.02.009>
- Heynen, A. J., Quinlan, E. M., Bae, D. C., Bear, M. F. (2000). Bidirectional, activity-dependent regulation of glutamate receptors in the adult hippocampus in vivo. *Neuron*, 28(2), 527-536. [https://doi.org/10.1016/S0896-6273\(00\)00130-6](https://doi.org/10.1016/S0896-6273(00)00130-6)

- Holmes J.M., Elizabeth L Lazar, B Michele Melia, William F Astle, Linda R Dagi, Sean P Donahue, Marcela G Frazier, Richard W Hertle, Michael X Repka, Graham E Quinn, Katherine K Weise, P. E. D. I. G. (2012). Effect of age on response to amblyopia treatment in children. *Archives of Ophthalmology*, 129(11), 1451–1457. <https://doi.org/10.1001/archophthalmol.2011.179>.
- Holmes, J. M., Clarke, M. P. (2006). Amblyopia. *The Lancet*, 367, 1343–1351. [https://doi.org/10.1016/S0140-6736\(06\)68581-4](https://doi.org/10.1016/S0140-6736(06)68581-4).
- Holmes, J. M., Manh, V. M., Lazar, E. L., Beck, R. W., Birch, E. E., Kraker, R. T., Crouch, E. R., Erzurum, S. A., Khuddus, N., Summers, A.I., Wallace, D.K., Pediatric Eye Disease Investigator Group. (2016). Effect of a binocular iPad game vs part-time patching in children aged 5 to 12 years with amblyopia: a randomized clinical trial. *JAMA Ophthalmology*, 134(12), 1391-1400. <https://doi.org/10.1001/jamaophthalmol.2016.4262>
- Hsu, C. L., Chou, C. H., Huang, S. C., Lin, C. Y., Lin, M. Y., Tung, C. C., Lin, C., Lai, I. P., Zou, Y., Youngson, N. A., Lin S., Yang, C., Chen, S., Gau, S., Huang, H. S. (2018). Analysis of experience-regulated transcriptome and imprintome during critical periods of mouse visual system development reveals spatiotemporal dynamics. *Human Molecular Genetics*, 27(6), 1039-1054. <https://doi.org/10.1093/hmg/ddy023>
- Huang, D., Xue, L., Wang, M., Hu, Q., Bu, X., Chen, Y. (2018). Feature-based attention elicited by precueing in an orientation discrimination task. *Vision Research*, 148, 15-25. <https://doi.org/10.1016/j.visres.2018.05.001>
- Hubel, D. H., Wiesel, T. N. (1962). Receptive fields, binocular interaction and functional architecture in the cat's visual cortex. *The Journal of Physiology*, 160(1), 106. <https://doi.org/10.1113/jphysiol.1962.sp006837>
- Huber, K. M., Roder, J. C., Bear, M. F. (2001). Chemical induction of mGluR5-and protein synthesis-dependent long-term depression in hippocampal area CA1. *Journal of Neurophysiology*, 86(1), 321-325. <https://doi.org/10.1152/jn.2001.86.1.321>
- Huff, J. (2015). The Airyscan detector from ZEISS: confocal imaging with improved signal-to-noise ratio and super-resolution. *Nature Methods*, 12, i-ii. <https://doi.org/10.1038/nmeth.f.388>
- Jenks, KR., Shepherd, JD. (2020) Experience-Dependent Development and Maintenance of Binocular Neurons in the Mouse Visual Cortex. *Cell Reports*, 30, 1982–1994 <https://doi.org/10.1016/j.celrep.2020.01.031>
- Keech, R. V., Kutschke, P. J. (1995). Upper age limit for the development of amblyopia. *Journal of Pediatric Ophthalmology Strabismus*, 32(2), 89-93. <https://doi.org/10.3928/0191-3913-19950301-07>
- Kiorpes, L. (2019). Understanding the development of amblyopia using macaque monkey models. *Proceedings of the National Academy of Sciences*, 116(52), 26217-26223. <https://doi.org/10.1073/pnas.190228511>
- Kirkpatrick, L. L., Matzuk, M. M., D'Nette, C. D., Perin, M. S. (2000). Biochemical interactions of the neuronal pentraxins: neuronal pentraxin (NP) receptor binds to taipoxin and taipoxin-associated calcium-binding protein 49 via NP1 and NP2. *Journal of Biological Chemistry*, 275(23), 17786-17792. <https://doi.org/10.1074/jbc.M002254200>
- Ko, S. J., Isozaki, K., Kim, I., Lee, J. H., Cho, H. J., Sohn, S. Y., Oh, S. R., Park, S., Kim, D. G., Kim, C. H., Roche, K. W. (2012). PKC phosphorylation regulates mGluR5 trafficking by enhancing binding of Siah-1A. *Journal of Neuroscience*, 32(46), 16391-16401. <https://doi.org/10.1523/JNEUROSCI.1964-12.2012>

- Krishnan, K., Wang, B. S., Lu, J., Wang, L., Maffei, A., Cang, J., & Huang, Z. J. (2015). MeCP2 regulates the timing of critical period plasticity that shapes functional connectivity in primary visual cortex. *Proceedings of the National Academy of Sciences*, 112(34), E4782-E4791. <https://doi.org/10.1073/pnas.1506499112>
- Lai, Y. H., Wang, H. Z., Hsu, H. T. (2011). Development of visual acuity in preschool children as measured with Landolt C and Tumbling E charts. *Journal of American Association for Pediatric Ophthalmology and Strabismus*, 15(3), 251-255. <https://doi.org/10.1016/j.jaapos.2011.03.010>
- Larsson, M. L. (2015). Binocular vision, the optic chiasm, and their associations with vertebrate motor behavior. *Frontiers in Ecology and Evolution*, 3, 89. <https://doi.org/10.3389/fevo.2015.00089>
- Lee, S. J., Wei, M., Zhang, C., Maxeiner, S., Pak, C., Botelho, S. C., Trotter, J., Sterky, F. H., Südhof, T. C. (2017). Presynaptic neuronal pentraxin receptor organizes excitatory and inhibitory synapses. *Journal of Neuroscience*, 37(5), 1062-1080. <https://doi.org/10.1523/JNEUROSCI.2768-16.2016>
- Lensjø, K. K., Lepperød, M. E., Dick, G., Hafting, T., Fyhn, M. (2017). Removal of perineuronal nets unlocks juvenile plasticity through network mechanisms of decreased inhibition and increased gamma activity. *Journal of Neuroscience*, 37(5), 1269-1283. <https://doi.org/10.1523/JNEUROSCI.2504-16.2016>
- Lewis, T. L., Maurer, D. (2005). Multiple sensitive periods in human visual development: evidence from visually deprived children. *Developmental Psychobiology: The Journal of the International Society for Developmental Psychobiology*, 46(3), 163-183. <https://doi.org/10.1002/dev.20055>
- Leonard, M. (2005). Children, childhood and social capital: Exploring the links. *Sociology*, 39(4), 605-622. <https://doi.org/10.1177/0038038505052490>
- Levi, D. M. (2020). Rethinking amblyopia 2020. *Vision Research*, 176, 118-129. <https://doi.org/10.1016/j.visres.2020.07.014>
- Levi, D. M. (2011) Removing the brakes on plasticity in the amblyopic brain. *Optometry and Vision Science*, 89(6) 827-838. <https://doi.org/10.1097/OPX.0b013e318257a187>
- Lewitus, G. M., Pribrag, H., Duseja, R., St-Hilaire, M., Stellwagen, D. (2014). An adaptive role of TNF α in the regulation of striatal synapses. *Journal of Neuroscience*, 34(18), 6146-6155. <https://doi.org/10.1523/JNEUROSCI.3481-13.2014>
- Li, X., Pérez, L., Pan, Z., Fan, H. (2007). The transmembrane domain of TACE regulates protein ectodomain shedding. *Cell Research*, 17(12), 985-998. <https://doi.org/10.1038/cr.2007.98>
- Li, X., Yan, Y., Huang, W., Yang, Y., Wang, H., Chang, L. (2009) The regulation of TACE catalytic function by its prodomain. *Molecular Biology Reports*, 36, 641-651 <https://doi.org/10.1007/s11033-008-9224-5>
- Li, R. W., Ngo, C., Nguyen, J., Levi, D. M. (2011). Video-game play induces plasticity in the visual system of adults with amblyopia. *PLoS biology*, 9(8), e1001135. <https://doi.org/10.1371/journal.pbio.1001135>
- Lüscher, C., Huber, K. M. (2010). Group 1 mGluR-dependent synaptic long-term depression: mechanisms and implications for circuitry and disease. *Neuron*, 65(4), 445-459. <https://doi.org/10.1016/j.neuron.2010.01.016>
- Malinow, R., Malenka, RC. (2002) AMPA Receptors Trafficking and Synaptic Plasticity. *Annual Review of Neuroscience*. 2002. 25:103-26. <https://doi.org/10.1146/annurev.neuro.25.112701.142758>

- Man, H. Y., Lin, J. W., Ju, W. H., Ahmadian, G., Liu, L., Becker, L. E., Sheng, M., Wang, Y. T. (2000). Regulation of AMPA receptor-mediated synaptic transmission by clathrin-dependent receptor internalization. *Neuron*, 25(3), 649-662. [https://doi.org/10.1016/S0896-6273\(00\)81067-3](https://doi.org/10.1016/S0896-6273(00)81067-3)
- Mao, L. M., Wang, J. Q. (2016). Regulation of group I metabotropic glutamate receptors by MAPK/ERK in neurons. *Journal of Nature and Science*, 2(12), e268.
- Maret, S., Faraguna, U. Nelson, A.B. Cirelli, C., Tononi G (2011) Sleep and waking modulate spine turnover in the adolescent mouse cortex. *Nature Neuroscience*, 14: 1418-1420. <https://doi.org/10.1038/nn.2934>
- Meyer, H. S., Schwarz, D., Wimmer, V. C., Schmitt, A. C., Kerr, J. N., Sakmann, B., Helmstaedter, M. (2011). Inhibitory interneurons in a cortical column form hot zones of inhibition in layers 2 and 5A. *Proceedings of the National Academy of Sciences*, 108(40), 16807-16812. <https://doi.org/10.1073/pnas.1113648108>
- Mitchell, D., Sengpiel, F. (2018). Animal models of amblyopia. *Visual Neuroscience*, 35, E017. <https://doi.org/10.1017/S0952523817000244>
- Moss, M. L., Jin, S. L., Becherer, J. D., Bickett, D. M., Burkhart, W., Chen, W. J., Hassler, D., Leesnitzer, M. T., McGeehan, G., Milla, M., Moyer M., Willard, D. (1997). Structural features and biochemical properties of TNF- α converting enzyme (TACE). *Journal of Neuroimmunology*, 72(2), 127-129. [https://doi.org/10.1016/S0165-5728\(96\)00180-4](https://doi.org/10.1016/S0165-5728(96)00180-4)
- Murase, S., Lantz, C.L., Quinlan, E.M. (2017) Light reintroduction after dark exposure reactivates plasticity adults via perisynaptic activation of MMP-9. *eLife*, 6:e27345. <https://doi.org/10.7554/eLife.27345>
- Murase, S., Winkowski, D., Liu J., Kanold, P., Quinlan, E.M. (2019) Homeostatic regulation of perisynaptic matrix metalloproteinase 9 (MMP9) activity in the amblyopic visual cortex. *eLife*, 8:e52503. <https://doi.org/10.7554/eLife.52503>
- Murase, S., Robertson, S. E., Lantz, C. L., Liu, J., Winkowski, D. E., Quinlan, E. M. (2022). Chronic monocular deprivation reveals MMP9-dependent and-independent aspects of murine visual system plasticity. *International Journal of Molecular Sciences*, 23(5), 2438. <https://doi.org/10.3390/ijms23052438>
- O'Brien, R. J., Xu, D., Petralia, R. S., Steward, O., Huganir, R. L., Worley, P. (1999). Synaptic clustering of AMPA receptors by the extracellular immediate-early gene product Narp. *Neuron*, 23(2), 309-323. [https://doi.org/10.1016/S0896-6273\(00\)80782-5](https://doi.org/10.1016/S0896-6273(00)80782-5)
- Passafaro, M., Nakagawa, T., Sala, C., Sheng, M. (2003). Induction of dendritic spines by an extracellular domain of AMPA receptor subunit GluR2. *Nature*, 424(6949), 677-681. <https://doi.org/10.1038/nature01781>
- Peiretti, F., Canault, M., Deprez-Beauclair, P., Berthet, V., Bonardo, B., Juhan-Vague, I., Nalbone, G. (2003). Intracellular maturation and transport of tumor necrosis factor alpha converting enzyme. *Experimental Cell Research*, 285(2), 278-285. [https://doi.org/10.1016/S0014-4827\(03\)00052-1](https://doi.org/10.1016/S0014-4827(03)00052-1)
- Pelkey, K. A., Barksdale, E., Craig, M. T., Yuan, X., Sukumaran, M., Vargish, G. A., Mitchell, R. M., Wyeth, M. S., Petralia, R. S., Chittajallu, R., Karlsson, R., Cameron, H. A., Murata, Y., Colonnese, M. T., Worley, P.F., McBain, C. J. (2015). Pentraxins coordinate excitatory synapse maturation and circuit integration of parvalbumin interneurons. *Neuron*, 85(6), 1257-1272. <https://doi.org/10.1016/j.neuron.2015.02.020>
- Peschon, J. J., Slack, J. L., Reddy, P., Stocking, K. L., Sunnarborg, S. W., Lee, D. C., Russell, W. E., Castner, B. J., Johnson, R. S., Fitzner, J. N., Boyce, R. W., Nelson, N., Kozlosky,

- C. J., Wolfson M. F., Rauch, C. T., Cerretti, D. P., Paxton, R. J., March, C. J., Black, R. A. (1998). An essential role for ectodomain shedding in mammalian development. *Science*, 282(5392), 1281-1284. <https://doi.org/10.1126/science.282.5392.1281>
- Pizzorusso, T., Medini, P., Berardi, N., Chierzi, S., Fawcett, J.W., Maffei, L. (2002). Reactivation of Ocular Dominance Plasticity in the Adult Visual Cortex. *Science*, 298,1248-1251. <https://doi.org/10.1126/science.1072699>.
- Pizzorusso, T., Medini, P., Landi, S., Baldini, S., Berardi, N., Maffei, L. (2006). Structural and functional recovery from early monocular deprivation in adult rats. *Science*, 103 (22) 8517-8522. <https://doi.org/10.1073/pnas.0602657103>.
- Pribrag, H., Stellwagen, D. (2013). TNF- α downregulates inhibitory neurotransmission through protein phosphatase 1-dependent trafficking of GABAA receptors. *Journal of Neuroscience*, 33(40), 15879-15893. <https://doi.org/10.1523/JNEUROSCI.0530-13.2013>
- Rittenhouse, C. D., Majewska, A. K. (2009). Synaptic mechanisms of activity-dependent remodeling in visual cortex during monocular deprivation. *Journal of Experimental Neuroscience*, 2, JEN-S2559. <https://doi.org/10.4137/JEN.S2559>
- Scheefhals, N., MacGillavry, H. D. (2018). Functional organization of postsynaptic glutamate receptors. *Molecular and Cellular Neuroscience*, 91, 82-94. <https://doi.org/10.1016/j.mcn.2018.05.002>
- Sengpiel, F. (2014). Plasticity of the visual cortex and treatment of amblyopia. *Current Biology*, 24(18), R936-R940. <https://doi.org/10.1016/j.cub.2014.05.063>
- Severin, D., Hong, S., Roh, S.E., Huang, S., Zhou, J., Bridi, M.C.D., Hong, I., Murase, S., Robertson, S., Haberman, R.P., Haganir, R.L., Gallagher, M., Quinlan, E.M., Worley, P., Kirkwood, A. (2021). All-or-none disconnection of pyramidal inputs onto parvalbumin-positive interneurons gates ocular dominance plasticity. *Proceedings of the National Academy of Sciences*, 118(37). <https://doi.org/10.1073/pnas.2105388118>.
- Sidorov, M. S., Kaplan, E. S., Osterweil, E. K., Lindemann, L., Bear, M. F. (2015). Metabotropic glutamate receptor signaling is required for NMDA receptor-dependent ocular dominance plasticity and LTD in visual cortex. *Proceedings of the National Academy of Sciences*, 112(41), 12852-12857. <https://doi.org/10.1073/pnas.1512878112>
- Sipe, G., Lowery, R. L., Tremblay, M. È., Kelly, E. A., Lamantia, C. E., Majewska, A. K. (2016). Microglial P2Y₁₂ is necessary for synaptic plasticity in mouse visual cortex. *Nature Communications*, 7(1), 10905. <https://doi.org/10.1038/ncomms10905>
- Snyder, E. M., Philpot, B. D., Huber, K. M., Dong, X., Fallon, J. R., Bear, M. F. (2001). Internalization of ionotropic glutamate receptors in response to mGluR activation. *Nature Neuroscience*, 4(11), 1079-1085. <https://doi.org/10.1038/nn746>
- Srour, N., Lebel, A., McMahon, S., Fournier, I., Fugère, M., Day, R., Dubois, C. M. (2003). TACE/ADAM-17 maturation and activation of sheddase activity require proprotein convertase activity. *FEBS Letters*, 554(3), 275-283. [https://doi.org/10.1016/S0014-5793\(03\)01159-1](https://doi.org/10.1016/S0014-5793(03)01159-1)
- Stellwagen, D., Malenka, R. C. (2006). Synaptic scaling mediated by glial TNF- α . *Nature*, 440(7087), 1054-1059. <https://doi.org/10.1038/nature04671>
- Sun, H. L., Zhu, W., Zhang, Y. R., Pan, X. H., Zhang, J. R., Chen, X. M., Liu Y., Li, S., Wang, Q., Deng, D. P. (2017). Altered glutamate metabolism contributes to antiepileptogenic effects in the progression from focal seizure to generalized seizure by low-frequency

- stimulation in the ventral hippocampus. *Epilepsy Behavior*, 68, 1-7.
<https://doi.org/10.1016/j.yebeh.2016.09.009>
- Tan, C., Doughty, P. T., Magee, K., Murray, T. A., Siddiqui, S., Arumugam, P. U. (2020). Effect of process parameters on electrochemical performance of a glutamate microbiosensor. *Journal of the Electrochemical Society*, 167(2), 027528. <https://doi.org/10.1149/1945-7111/ab6b0b>
- Tao, H. W., Poo, M. M. (2005). Activity-dependent matching of excitatory and inhibitory inputs during refinement of visual receptive fields. *Neuron*, 45(6), 829-836.
<https://doi.org/10.1016/j.neuron.2005.01.046>
- Tropea, D., Van Wart, A., Sur, M. (2009). Molecular mechanisms of experience-dependent plasticity in visual cortex. *Philosophical Transactions of the Royal Society B: Biological Sciences*, 364(1515), 341-355. <https://doi.org/10.1098/rstb.2008.0269>
- Tsui, C. C., Copeland, N. G., Gilbert, D. J., Jenkins, N. A., Barnes, C., Worley, P. F. (1996). Narp, a novel member of the pentraxin family, promotes neurite outgrowth and is dynamically regulated by neuronal activity. *Journal of Neuroscience*, 16(8), 2463-2478.
<https://doi.org/10.1523/JNEUROSCI.16-08-02463.1996>
- Wang, Y. T., Linden, D. J. (2000). Expression of cerebellar long-term depression requires postsynaptic clathrin-mediated endocytosis. *Neuron*, 25(3), 635-647.
[https://doi.org/10.1016/S0896-6273\(00\)81066-1](https://doi.org/10.1016/S0896-6273(00)81066-1)
- Xu, D., Hopf, C., Reddy, R., Cho, R. W., Guo, L., Lanahan, A., ... & Worley, P. (2003). Narp and NP1 form heterocomplexes that function in developmental and activity-dependent synaptic plasticity. *Neuron*, 39(3), 513-528. [https://doi.org/10.1016/S0896-6273\(03\)00463-X](https://doi.org/10.1016/S0896-6273(03)00463-X)
- Xue, M., Atallah, B. V., Scanziani, M. (2014). Equalizing excitation–inhibition ratios across visual cortical neurons. *Nature*, 511(7511), 596-600. <https://doi.org/10.1038/nature13321>
- Yang, S., Cacquevel, M., Saksida, L. M., Bussey, T. J., Schneider, B. L., Aebischer, P., Melani, R., Pizzorusso, T., Fawcett, J. W., Spillantini, M. G. (2015). Perineuronal net digestion with chondroitinase restores memory in mice with tau pathology. *Experimental Neurology*, 265, 48-58. <https://doi.org/10.1016/j.expneurol.2014.11.013>
- Ye, Q., Miao, Q. L. (2013). Experience-dependent development of perineuronal nets and chondroitin sulfate proteoglycan receptors in mouse visual cortex. *Matrix Biology*, 32(6), 352-363. <https://doi.org/10.1016/j.matbio.2013.04.001>
- Yin, G. N., Lee, H. W., Cho, J. Y., Suk, K. (2009). Neuronal pentraxin receptor in cerebrospinal fluid as a potential biomarker for neurodegenerative diseases. *Brain Research*, 1265, 158-170. <https://doi.org/10.1016/j.brainres.2009.01.058>
- Yoon, B. J., Smith, G. B., Heynen, A. J., Neve, R. L., Bear, M. F. (2009). Essential role for a long-term depression mechanism in ocular dominance plasticity. *Proceedings of the National Academy of Sciences*, 106(24), 9860-9865.
<https://doi.org/10.1073/pnas.0901305106>
- Zhou, J., Wade, S. D., Graykowski, D., Xiao, M. F., Zhao, B., Giannini, L. A. A., Hanson J. E., Van Swieten, J. C., Sheng, M., Worley, P.F., Dejanovic, B. (2023). The neuronal pentraxin Nptx2 regulates complement activity and restrains microglia-mediated synapse loss in neurodegeneration. *Science Translational Medicine*, 15, eadf0141
<https://doi.org/10.1126/scitranslmed.adf0141>